

# HORIBA Group Banned Chemical Substances Standard

The 5.4 Edition

December 1, 2023  
HORIBA, Ltd.

## Revision History

Revised on	Revised content
4 January 2013 The 2 <sup>nd</sup> Edition	The 2 substances added: - (8) fluorinated greenhouse gases, for EU Regulations and Kyoto Protocol; - (20) polychlorinated terphenyls, for Restrictions by Annex XVII, REACH.
6 January 2014 The 3 <sup>rd</sup> Edition	The following substance added: (26) cobalt chloride (for use as silica gel and desiccant agent) Reason: To respond to domestic and international regulations and demands of the market
1 July 2017 The 4 <sup>th</sup> edition	The 4 substances added:
16 October 2017 The 4.1 edition	The date July 1 <sup>st</sup> 2017 is added to 'Time to Banned Use' of the 4 substances added as of July 1 <sup>st</sup> 2017.
19 March 2018 The 5 <sup>th</sup> edition	The following substance update (21) The number of atoms of Polychlorinated naphthalenes is changed from 3 to 2. The 3 substances added: (31) Hexabromocyclododecane ; HBCDD; (32) PFOA - perfluorooctanoic acid (33) Hexachlorobenzene The section name of issuing this document, written in the last page, is changed.
15 January 2021 The 5.1 edition	(2) The footnote *1 is corrected. (32) Reference law is changed into L16. EU Regulation No.850/2004 is added to the List of Reference Laws.
25 April 2022 The 5.2 edition	(19) Regulated value of Polychlorinated biphenyls is added.
1 November 2022 The 5.3 edition	The following 2 substances are added. - (34) PIP(3:1), for US TSCA - (35) C9-C14 PFCAs, their salts and C9-C14 PFCA-related substances , for EU REACH Regulation (32) Examples of use are corrected.
1 December 2023 The 5.4 edition	(36) Perfluorohexane sulfonic acid (PFHxS), its salts and PFHxS-related compounds are added.

### Banned chemical substances listed in HORIBA Group Green Procurement

Components and materials delivered to HORIBA Group and the products of HORIBA Group must be guaranteed that the contamination of each chemical substance is less than the values of each listed below.

№	Substance/ Category	Examples of CAS No	Examples of Substances	Control Level	Reference laws	Examples of Use	Time to banned use
1	Asbestos	-		Intentional use banned	L1	Brake linings/pads, Insulator, filler, pigment, paint, talc,	Applied
2	Azocolourants and azodyes which form certain aromatic amines (*1)	92-67-1 92-87-5 95-69-2 91-59-8 97-56-3 99-55-8 106-47-8 615-05-4 101-77-9 91-94-1 119-90-4 119-93-7 838-88-0 120-71-8 101-14-4 101-80-4 139-65-1 95-53-4 95-80-7 137-17-7 90-04-0 60-09-3	4-aminobiphenyl Benzidine 4-chloro-o-toluidine 2-naphthylamine o-aminoazotoluene 5-Nitro-o-toluidine 4-chloroaniline 2,4-diaminoanisole 4,4'-methylenedianiline 3,3'-dichlorobenzidine 3,3'-dimethoxybenzidine 3,3'-Dimethylbenzidine 4,4'-methylenedi-o-toluidine 6-methoxy-m-toluidine 4,4'-Methylene-bis-(2-chloroaniline) 4,4'-Oxydianiline 4,4'-Diaminodiphenylsulfide o-toluidine 4-methyl-m-phenylenediamine 2,4,5-trimethylaniline o-anisidine 4-aminoazobenzene	0.003% by weight (30 ppm) of the finished textile/leather product	L2	Pigment, dyes, colorants	Applied

№	Substance/Category		Examples of CAS No	Examples of Substances	Control Level	Ref. laws	Examples of Use	Time to banned use
3	Cadmium / cadmium compounds	All, except substances below	10108-64-2 10124-36-4 1306-19-0  1306-23-6 31119-53-6 7440-43-9 7790-79-6	Cadmium chloride Cadmium sulphate Cadmium oxide (non-pyrophoric) Cadmium sulphide Cadmium sulphate Cadmium (non-pyrophoric) Cadmium fluoride (CdF <sub>2</sub> ) Others	0.01% by weight (100 ppm) of cadmium in homogeneous materials	L3	Pigment, anti-corrosion surface treatment, optical glass, stabilizer, plating, fluorescent lights, electrode, solder, electric contact, contact point, zinc plating, Stabilizer for PVC	Applied
		Packaging Material (*5)	-		Less than 100ppm			
		Batteries (*2)	-		0.0005% by weight (5 ppm) of cadmium in battery	L5	NiCd accumulators	
4	Chromium VI compounds	All, except substances below	7738-94-5 7775-11-3 7778-50-9 7789-00-6 7789-09-5	Chromic acid Sodium chromate Potassium dichromate Potassium chromate Ammonium dichromate Others	0.1% by weight (1 000 ppm) of chromium (VI) in homogeneous materials	L3	Pigment, paint, ink, catalyst, plating, anticorrosion surface treatment, dye	Applied
		Packaging Material (*5)	-		Less than 100ppm			
5	Dibutyltin (DBT) compounds		683-18-1 -	Dibutyltin dichloride (DBTC) Others	0.1% by weight (1 000 ppm) of tin in a material	L2	Stabilizer for PVC, curing catalyst for silicone resin and urethane resin	Applied
6	Dioctyltin (DOT) compounds	(a) textile and leather articles intended to come into contact with the skin,	15571-58-1 -	Dioctyltin bis(2-ethylhexyl thioglycolate); DOTE Others	0.1% by weight (1 000 ppm) of tin in a material	L2	Stabilizer for PVC, curing catalyst for silicone resin and urethane resin	Applied
		(b) childcare articles						
		(c) two-component room temperature vulcanization molding kits (RTV-2 molding kits)						

№	Substance/Category	CAS No	Examples of Substances	Control Level	Ref. laws	Examples of Use	To be banned
7	Dimethyl fumarate	624-49-7	dimethylfumarate	0.00001% by weight (0.1 ppm) in a material	L6	Biocide and mold treatment of electronic leather seats, including recliners and massage chairs	Applied
8	Fluorinated greenhouse gases (PFCs, SF6 and HFCs)	HFCs	HFC-23	Intentional use banned	L7	Refrigerant, blowing agent, extinguishant, cleaning agent, insulator, caustic gas	Applied
HFC-32							
HFC-41							
HFC-125							
HFC-134							
HFC-134a							
HFC-143							
HFC-143a							
HFC-152							
HFC-152a							
HFC-161							
HFC-227ea							
HFC-236cb							
HFC-236ea							
HFC-236fa							
HFC-245ca							
HFC-245fa							
HFC-365 mfc							
HFC-43-10 mee							
PFCs		PFC-14					
		PFC-116					
	PFC-218						
	PFC-3-1-10						
	PFC-4-1-12						
	PFC-5-1-14						
PFC-c-318							
SF 6	Sulfur hexafluoride (SF6)						

No	Substance/Category		Examples of CAS No	Examples of Substances	Control Level	Ref. law	Examples of Use	To be banned
9	Formaldehyde	Composite wood (plywood, particle board, medium density fiberboard), products or components (*4)	50-00-0	Formaldehyde	Intentional use banned	L8	Stereo cabinets, kiosk enclosures	Applied
10	Lead / lead compounds	All, except substances below	10099-74-8 11120-22-2 12036-76-9 12060-00-3 12065-90-6 12141-20-7 12202-17-4 12578-12-0 12626-81-2 1314-41-6 1317-36-8 1319-46-6 13424-46-9 1344-37-2 13814-96-5 15245-44-0	Lead(II) nitrate; Lead nitrate Silicic acid, lead salt; Lead silicate Lead oxide sulfate (Pb2O(SO4)) Lead titanate Lead oxide sulfate (Pb5O4(SO4)) Lead oxide phosphonate (Pb3O2(HPO3)) Tetralead trioxide sulphate Dioxo(distearato)trilead Lead titanium zirconium Trioxide Trilead tetraoxide Lead(II) oxide; Lead oxide (PbO) Dicarbonato(dihydroxy)trilead Lead diazide; lead azide C.I. Pigment Yellow 34; Lead chromate Lead fluoborate Lead(II) 2,4,6-trinitrobenzene-1,3-diolate	0.1% by weight (1 000 ppm) of lead in homogeneous materials	L3	Rubber hardener, pigment, paint, lubricant, plastic stabilizer, free-machining alloy, free-cutting steels, optical materials, X-ray shielding in CRT glass, solder materials, curing agent, vulcanizing agent	Applied
		Packaging Material (*5)	17570-76-2 20837-86-9 301-04-2	Lead(II) methanesulphonate Cyanamide, lead(2+) salt (1:1) Lead di(acetate)	Less than 100ppm	L4	Packaging Material	Applied
		Cables/cords with thermoset or thermoplastic coatings	51404-69-4 62229-08-7 6477-64-1 68784-75-8	Acetic acid, lead salt, basic Sulfurous acid, lead salt, dibasic Lead dipicrate Silicic acid (H2Si2O5), barium salt (1:1), lead-doped	0.03% by weight (300 ppm) of lead in surface coating	L9	Pigment, paint, stabilizer, colorant	Applied
		Batteries (*2)	69011-06-9 91031-62-8 -	Lead dioxide phthalate; Lead, [1,2-benzenedicarboxylato(2-)]dioxotri- Fatty acids, C16-18, lead salts Others	0.004% by weight (40 ppm) of lead in battery	L10	Zinc carbon batteries, alkaline button cells	Applied

No	Substance/Category	CAS No	Examples of Substances	Control Level	Ref. law	Examples of Use	To be banned	
11	Mercury /mercury compounds	All, except substances below	7439-97-6 7546-30-7 7783-35-9 10045-94-0 51595-71-2	Mercury Mercury chloride Mercury sulphate Mercury (II) nitrate Mercury sulfide (Hg <sub>2</sub> S) Others	Intentionally added or 0.1% (1 000 ppm) of mercury in homogeneous material	L3	Fluorescent bulb, contact point material, pigment, anti-corrosion, switches, antibacterial treatment	Applied
		Packaging Material (*5)	-		Less than 100ppm	L4	Packaging Material	
		Batteries (*2)	-		0.0001% by weight (1 ppm)	L11	Silver-oxide button cells, alkaline batteries, zinc carbon batteries	
12	Nickel (*6)	All, where prolonged skin contact is expected	7440-02-0	Nickel	Intentional use banned	L2	Stainless steel, plating; example application for prolonged skin contact is headphone	Applied
13	Ozone depleting substances	CFCs	-	-	Intentional use banned	L12	Refrigerant, foaming agent, extinguishant, solvent cleaner	Applied
		Halons	-	-				
			56-23-5	Tetrachloromethane				
			71-55-6	1,1,1-trichloroethane				
		HCFCs	-	-				
		HBFCs	-	-				
		-	74-97-5	Bromochloromethane				
-	74-83-9	Bromomethane						
-	-	Others listed in the Annex A, B, C and E of Montreal Protocol						
14	Perchlorates	7791-03-9 -	Lithium Perchlorate Others	0.0000006% by weight (0.006 ppm) of the product	L13	Coin cell batteries	Applied	
15	Perfluorooctane sulfonate (PFOS) (*3)	-	-	Intentionally added or 0.1% by weight (1000 ppm) in material	L14, L2	Antistatic agent for films and plastics	Applied	

No	Substance /Category	Examples of CAS No	Examples of Substances	Control Level	Ref. law	Examples of Use	To be banned
16	Phenol,2-(2H-benzotriazol-2-yl)-4,6-bis(1,1-dimethylethyl)	3846-71-7	Phenol, 2-(2H-benzotriazol-2-yl)-4,6-bis(1,1-dimethylethyl)-	Intentional use banned	L14	Adhesives, paints, printing inks, plastics, inked ribbons, putty, caulking or sealing fillers	Applied
17	Polybrominated biphenyls (PBBs)	-	-	0.1% by weight (1 000 ppm) in homogeneous material	L3	Flame retardant	Applied
18	Polybrominated diphenylethers (PBDEs)	1163-19-5 -	Decabromodiphenyl ether (decabromodiphenyl ether; DecaBDE) Others	Intentionally added or 0.1% by weight (1 000 ppm) in homogeneous material	L3	Flame retardant	Applied
19	Polychlorinated biphenyls (PCBs) and specific substitutes	- 76253-60-6 - 99688-47-8	PCBs Monomethyl-tetrachlorodiphenyl methane Trade name: Ugilec 141 Monomethyl-dibromodiphenyl methane Ugilec 121 Monomethyl-dibromodiphenyl methane Trade name: DBBT	Intentional use banned and 50ppm	L14, L2	Insulation oil, lubricant oil, electrical insulation medium, solvent, electrolytic solution; plasticizers, flame retardants, dielectric sealants	Applied
20	polychlorinated terphenyls (PCTs)	61788-33-8	Polychlorinated terphenyls(PCTs)	0.005% by weight (50 ppm) in material	L2	Insulation oil, lubricant oil, electrical insulation medium, solvent, electrolytic solution; plasticizers, flame retardants, coatings for electrical wire and cable, dielectric sealants	Applied
21	Polychlorinated naphthalenes (more than 2 chlorine atoms)	-	-	Intentional use banned	L14	Lubricant, paint, stabilizer (electric characteristic, flame-resistant, water-resistant) insulator, flame retardant	Applied



№	Substance/Category		Examples of CAS No	Examples of Substances	Control Level	Ref. law	Examples of Use	To be banned
22	Radioactive substances		-	-	Intentional use banned	L15	Optical properties (thorium), measuring devices, gauges, detector	Applied
23	Shortchain chlorinated paraffins (C10 - C13)		85535-84-8	Alkanes, C10-13, chloro	0.1% by weight (1 000 ppm) of the product	L2	Plasticizer for PVC, flame retardant	Applied
24	Tri-substituted organostannic compounds		-	-	Intentionally added or 0.1% by weight (1 000 ppm) of tin in a material	L2	Stabilizer, antioxidant, antibacterial and antifungal agents, antifoulant, antiseptic, paint, pigment, antistaining	Applied
25	Tributyl tin oxide (TBTO)		56-35-9	Tributyltin oxide (TBTO)	Intentionally added or 0.1% by weight (1 000 ppm) of the product	L14	Antiseptic, antifungal agent, paint, pigment, antistaining, refrigerant, foaming agent, extinguishant, solvent cleaner	Applied
26	cobalt chloride	silica gel, desiccant	7646-79-9	Cobalt(II) dichloride	0.1% by weight (1,000ppm) of the product	L2	Moisture content indicator	Applied
27	Benzyl butyl phthalate (BBP)		85-68-7	Benzyl butyl phthalate; BBP	0.1% by weight (1 000 ppm) in homogeneous material	L2	Polyvinyl chloride sheet, adhesive agent, seal component. coating material	Applied
28	Dibutyl phthalate(DBP)		84-74-2	Dibutyl phthalate; DBP	0.1% by weight (1 000 ppm) in homogeneous material	L2	cabl e, plug, rubber, tube, seal material, adhesive agent, antiskid coating, coating material	Applied
29	Bis(2-ethylhexyl)phthalate( DEHP)		117-81-7	Bis(2-ethylhexyl) phthalate; Di(2-ethylhexyl)phthalate; DEHP	0.1% by weight (1 000 ppm) in homogeneous material	L2	polyvinyl chloride cable and wire(versatile plasticizer)	Applied
30	Diisobutyl phthalate(DIBP)		84-69-5	Diisobutyl phthalate; DIBP	0.1% by weight (1 000 ppm) in homogeneous material	L3	Plasticizer	Applied

№	Substance/Category	Examples of CAS No	Control Level	Control Level	Ref. law	Examples of Use	To be banned
31	Hexabromocyclododecane ; HBCDD	25637-99-4 3194-55-6  134237-50-6  134237-51-7  134237-52-8  -	Cyclododecane, hexabromo-1,2,5,6,9,10-hexabromocyclododecane Alpha-hexabromocyclododecane; rel-(1R,2R,5S,6R,9R,10S)-1,2,5,6,9,10-Hexabromocyclododecane Beta-hexabromocyclododecane; rel-(1R,2S,5R,6R,9R,10S)-1,2,5,6,9,10-Hexabromocyclododecane Gamma-hexabromocyclododecane; rel-(1R,2R,5R,6S,9S,10R)-1,2,5,6,9,10-Hexabromocyclododecane Others	Intentional use banned	L14	Flame retardant	Applied
32	PFOA - perfluoro-octanoic acid and its salts, related substances  Any related substance (including its salts and polymers) having a linear or branched perfluoroheptyl group with the formula C7F15- directly attached to another carbon atom, as one of the structural elements. Any related substance (including its salts and polymers) having a linear or branched perfluorooctyl group with the formula C8F17- as one of the structural elements. The following substances are excluded from this designation: — C8F17-X, where X = F, Cl, Br. — C8F17-C(=O)OH, C8F17-C(=O)O-X' or C8F17-CF2-X' (where X' = any group, including salts).	335-67-1 -	PFOA - perfluorooctanoic acid Others	25 ppb of PFOA including its salts or 1 000 ppb of one or a combination of PFOA-related substances in homogeneous material	L16	Additives for plastic manufacturing	Applied

№	Substance/Category	CAS No	Examples of Substances	Control Level	Reference law	Examples of Use	To be banned
33	Hexachlorobenzene	118-74-1	Hexachlorobenzene	Intentional use banned	L14	disinfectant	Applied
34	PIP(3:1)	68937-41-7	Phenol, isopropylated phosphate (3:1) (PIP 3:1)	Intentional use banned	L8	Plasticizer, flame retardant	October 1st 2023
35	C9-C14 PFCAs, their salts and C9-C14 PFCA-related substances	375-95-1 335-76-2 2058-94-8 307-55-1 72629-94-8 376-06-7 -	Perfluorononan-1-oic acid (PFNA) Nonadecafluorodecanoic acid (PFDA) Henicosaflluoroundecanoic acid (PFUnDA) Tricosaflluorododecanoic acid (PFDoDA) Pentacosaflluorotridecanoic acid (PFTrDA) Heptacosaflluorotetradecanoic acid (PFTDA) Others	25 ppb for the sum of C9-C14 PFCAs and their salts or 260 ppb for the sum of C9-C14 PFCA-related substances	L2	Additives for plastic manufacturing	Applied
36	Perfluorohexane sulfonic acid (PFHxS), its salts and PFHxS-related compounds	1000597-52-3 -	Phosphonium, triphenyl(phenylmethyl)-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1) Others	25 ppb of PFHxS including its salts or 1000 ppb for the sum of PFHxS-related compounds	L16	metal plating, coating	January 1st 2024

- \*1 The European Community's ban applies to the specified examples of CAS RNs and chemical names of azocolourants and azodyes which are generated by reductive cleavage of azo groups. The threshold level given applies to these amines, not to the azocolourants and azodyes.
- \*2 The battery reporting threshold level is based on the strictest known legal requirement. However, for simplification, the same reporting threshold level is set for all kind of batteries, even if the underlying legal requirement is only applicable for only one specific battery type. Concentration value shall be calculated by total weight of the battery.
- \*3 Commission Regulation (EU) No 276/2010 defines a concentration limit of 0.1% by weight of tin in the article or part thereof. Likewise Commission Decision 2009/251/EC defines a concentration limit of 0.00001% by weight of DMF in the product or part of the product and Commission Regulation (EC) No 552/2009 defines a concentration limit of 0.1% by weight of PFOS in the semifinished product or article or part thereof. Because no legal definition of part is provided in these legislations, the most potentially restrictive concentration limit is not adequately specified. Therefore, the concentration limit is applied at the level of a material vs. a part to ensure disclosure of the regulated substances for the most basic unit of a part.
- \*4 Regulatory thresholds for substances in these applications are based on emission or exposure limits rather than on the concentration in the product. Examples of regulatory limits are:  
Formaldehyde in hardwood plyboard with veneer core – 0.05 ppm (measured as gaseous emission from product);  
For Nickel in applications of prolonged skin contact - 0.5 micrograms/sq cm/week per DIN EN 1811;  
Radioactive substances -a dose rate exceeding 1  $\mu\text{Sv h}^{-1}$  at a distance of 0.1 m.
- Because emission and exposure levels cannot be derived from actual concentrations, a threshold level of “intentionally added” is indicated for reporting. Suppliers may choose to report a default concentration of 0.1% by weight in the product for these substances, in lieu of determining the exact concentrations in their products, to indicate that the substance is known to be present in their product, as the actual concentration in the product is not informative for regulatory compliance assessment.
- \*5 Total weight containing heavy metal such as lead, cadmium, mercury and hexavalent chrome per homogeneous material composing packaging (ex. Resin, ink, paint) shall be less than 100ppm by weight. Intentional adding is banned

## References of laws and regulations

No.	Title of law and regulations
L1	Japan Industrial Safety and Health Act
L2	EU REACH Regulation (EC) No1907/2006 Annex 17
L3	EU Directive 2011/65/EU
L4	EU Directive 94/62/EC
L5	Quality Management and Industrial Safety Products Safety Control Act
L6	EU Commission Decision 2009/251/EC
L7	EU Regulation No. 517/2014 Annex I
L8	US TSCA
L9	US California Proposition 65
L10	China GB-24427-2009: Limitation of mercury, cadmium and lead contents for alkaline and non-alkaline zinc manganese dioxide batteries
L11	China Notice No. 14 Limitation of mercury content in battery products
L12	Montreal protocol Annex A, B, C and E
L13	US California DTSC
L14	Japan Act on the Evaluation of Chemical Substances and Regulation of Their Manufacture, etc
L15	Japan Act on the Regulation of Nuclear Source Material, Nuclear Fuel Material and Reactors
L16	EU Regulation No 2019/1021



Quality Management Center  
HORIBA, Ltd.  
TEL: +81-75-325-5086  
URL : <http://www.horiba.co.jp>